

## SEQUENCE LISTING

<110> O'CONNOR, MARK J.  
ZIMMERMAN, HOLGER

<120> POLYPEPTIDES FROM CREB BINDING PROTEIN AND RELATED PROTEIN P300 FOR USE IN  
TRANSCRIPTIONAL REGULATION

<130> 117-328

<140> US 09/701,080  
<141> 2001-02-27

<150> GB 9811303.8  
<151> 1998-05-26

<150> GB 9900157.0  
<151> 1999-01-05

<160> 36

<170> PatentIn Ver. 2.1

<210> 1  
<211> 13  
<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:derived from E1A

<400> 1

Val Asn Glu Phe Phe Pro Glu Ser Leu Ile Leu Ala Ala  
1 5 10

<210> 2

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:derived from E1A

<400> 2

Val Asn Glu Phe Phe Pro Ala Ser Ala Ile Leu  
1 5 10

<210> 3

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:derived from E1A

<400> 3  
Val Asn Glu Phe Ala Pro Ala Ser Ala Ile Ala  
1 5 10

<210> 4  
<211> 13  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:derived from p53

<400> 4  
Ser Gln Glu Thr Phe Ser Asp Leu Trp Lys Leu Leu Pro  
1 5 10

<210> 5  
<211> 13  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:derived from E2F

<400> 5  
Phe Asp Cys Asp Phe Gly Asp Leu Thr Pro Leu Asp Phe  
1 5 10

<210> 6  
<211> 19  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:derived from Mdm-2

<400> 6  
Lys Lys Leu Lys Lys Arg Asn Lys Pro Cys Pro Val Cys Arg Gln Pro  
1 5 10 15

Ile Gln Met

<210> 7  
<211> 19  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:derived from CBP

<400> 7  
Gly Cys Lys Arg Lys Thr Asn Gly Gly Cys Pro Val Cys Lys Gln Leu  
1 5 10 15

Ile Ala Leu

<210> 8  
<211> 13  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:derived from E1A

<400> 8  
Val Asn Glu Phe Phe Pro Glu Ser Leu Ile Leu Ala Ala  
1 5 10

<210> 9  
<211> 13  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:derived from p53

<400> 9  
Ser Gln Glu Thr Phe Ser Asp Leu Trp Lys Leu Leu Pro  
1 5 10

<210> 10  
<211> 13  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:derived from E2F

<400> 10  
Phe Asp Cys Asp Phe Gly Asp Leu Thr Pro Leu Asp Phe  
1 5 10

<210> 11  
<211> 13  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:derived from TFIIB

<400> 11  
Met Met Asn Ala Phe Lys Glu Ile Thr Thr Met Ala Asp  
1 5 10

<210> 12  
<211> 13  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:derived from YY1

<400> 12

Ala Glu Asp Gly Phe Glu Asp Gln Ile Leu Ile Pro Val  
1 5 10

<210> 13

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:derived from YY1

<400> 13

Cys Thr Lys Met Phe Arg Asp Asn Ser Ala Met Arg Lys  
1 . 5 10

<210> 14

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:derived from YY1

<400> 14

Cys Gly Lys Ala Phe Val Glu Ser Ser Lys Leu Lys Arg  
1 . 5 10

<210> 15

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:derived from MyoD

<400> 15

Thr Thr Asp Asp Phe Tyr Asp Asp Pro Cys Phe Asp Ser  
1 . 5 10

<210> 16

<211> 19

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:derived from CBP

<400> 16

Gly Cys Lys Arg Lys Thr Asn Gly Gly Cys Pro Val Cys Lys Gln Leu  
1 . 5 10 15

Ile Ala Leu

<210> 17

<211> 19

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:derived from p300

<400> 17

Gly Cys Lys Arg Lys Thr Asn Gly Gly Cys Pro Ile Cys Lys Gln Leu  
1 5 10 15

Ile Ala Leu

<210> 18

<211> 151

<212> PRT

<213> Human papillomavirus

<400> 18

Met Phe Gln Asp Pro Gln Glu Arg Pro Arg Lys Leu Pro Gln Leu Cys  
1 5 10 15

Thr Glu Leu Gln Thr Thr Ile His Asp Ile Ile Leu Glu Cys Val Tyr  
20 25 30

Cys Lys Gln Gln Leu Leu Arg Arg Glu Val Tyr Asp Phe Ala Phe Arg  
35 40 45

Asp Leu Cys Ile Val Tyr Arg Asp Gly Asn Pro Tyr Ala Val Cys Asp  
50 55 60

Lys Cys Leu Lys Phe Tyr Ser Lys Tyr Ser Glu Tyr Arg His Tyr Cys  
65 70 75 80

Tyr Ser Leu Tyr Gly Thr Thr Leu Glu Gln Gln Tyr Asn Lys Pro Leu  
85 90 95

Cys Asp Leu Leu Ile Arg Cys Ile Asn Cys Gln Lys Pro Leu Cys Pro  
100 105 110

Glu Glu Lys Gln Arg His Leu Asp Lys Lys Gln Arg Phe His Asn Ile  
115 120 125

Arg Gly Arg Trp Thr Gly Arg Cys Met Ser Cys Cys Arg Ser Ser Arg  
130 135 140

Thr Arg Arg Glu Thr Gln Leu  
145 150

<210> 19

<211> 49

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: polylinker of plasmid pMALP

<400> 19

ggatccgtcg acctcggagcc cgggctgcag aagcttgatt gattagctt

<210> 20  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<221> VARIANT  
<222> (1)  
<223> Xaa represents Lys or Arg

<220>  
<221> VARIANT  
<222> (2)  
<223> Xaa represents Lys or Arg

<220>  
<221> VARIANT  
<222> (3)  
<223> Xaa represents any amino acid

<220>  
<221> VARIANT  
<222> (5)  
<223> Xaa represents any amino acid

<220>  
<221> VARIANT  
<222> (6)  
<223> Xaa represents any amino acid

<220>  
<221> VARIANT  
<222> (9)  
<223> Xaa is Val or Ile

<220>  
<221> VARIANT  
<222> (11)  
<223> Xaa represents Lys or Arg

<220>  
<221> VARIANT  
<222> (12)  
<223> Xaa represents any amino acid

<220>  
<223> Description of Artificial Sequence: consensus sequence of transcriptional adaptor  
motif (TRAM)

<400> 20  
Xaa Xaa Xaa Asn Xaa Xaa Cys Pro Xaa Cys Xaa Xaa  
1 5 10

<210> 21  
<211> 13  
<212> PRT

<213> Artificial Sequence

<220>  
<221> VARIANT  
<222> (1)  
<223> Xaa represents Lys or Arg

<220>  
<221> VARIANT  
<222> (2)  
<223> Xaa represents Lys or Arg

<220>  
<221> VARIANT  
<222> (3)  
<223> Xaa represents any amino acid

<220>  
<221> VARIANT  
<222> (5)  
<223> Xaa represents any amino acid

<220>  
<221> VARIANT  
<222> (6)  
<223> Xaa represents any amino acid

<220>  
<221> VARIANT  
<222> (9)  
<223> Xaa represents Val or Ile

<220>  
<221> VARIANT  
<222> (11)  
<223> where Xaa represents Lys or Arg

<220>  
<221> VARIANT  
<222> (12)  
<223> Xaa represents any amino acid

<220>  
<223> Description of Artificial Sequence:consensus sequence of transcriptional adaptor  
motif (TRAM)

<400> 21  
Xaa Xaa Xaa Asn Xaa Xaa Cys Pro Xaa Cys Xaa Xaa Ile  
1 5 10

<210> 22  
<211> 7  
<212> PRT  
<213> Artificial Sequence

<220>  
<221> VARIANT  
<222> (2)  
<223> Xaa represents any amino acid

<220>  
<221> VARIANT  
<222> (3)  
<223> Xaa represents Glu or Asp

<220>  
<221> VARIANT  
<222> (4)...(6)  
<223> Xaa represents any amino acid

<220>  
<223> Description of Artificial Sequence: consensus sequence of Transcriptional interaction motif(TRIM)

<400> 22  
Phe Xaa Xaa Xaa Xaa Xaa Leu  
1 5

<210> 23  
<211> 7  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: derived from E1A

<400> 23  
Phe Pro Glu Ser Leu Ile Leu  
1 5

<210> 24  
<211> 7  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:derived from p53

<400> 24  
Phe Ser Asp Leu Trp Lys Leu  
1 5

<210> 25  
<211> 7  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:derived from TFIIB

<400> 25  
Phe Lys Glu Ile Thr Thr Met

1

5

<210> 26  
<211> 7  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:derived from YY1

<400> 26  
Phe Glu Asp Gln Ile Leu Ile  
1 5

<210> 27  
<211> 7  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:derived from YY1

<400> 27  
Phe Arg Asp Asn Ser Ala Met  
1 5

<210> 28  
<211> 7  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:derived from YY1

<400> 28  
Phe Val Glu Ser Ser Lys Leu  
1 5

<210> 29  
<211> 7  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:derived from MyoD

<400> 29  
Phe Tyr Asp Asp Pro Cys Phe  
1 5

<210> 30  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:derived from CBP

<400> 30

Arg Lys Thr Asn Gly Gly Cys Pro Val Cys Lys Gln  
1 5 10

<210> 31

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:derived from CBP

<400> 31

Arg Lys Thr Asn Gly Gly Cys Pro Val Cys Lys Gln Pro Ile  
1 5 10

<210> 32

<211> 19

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:derived from CBP

<400> 32

Gly Cys Lys Arg Lys Thr Asn Gly Gly Cys Pro Val Cys Lys Gln Leu  
1 5 10 15

Ile Ala Leu

<210> 33

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:derived from Mdm-2

<400> 33

Lys Lys Arg Asn Lys Pro Cys Pro Val Cys Arg Gln  
1 5 10

<210> 34

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:derived from p300

<400> 34

Arg Lys Thr Asn Gly Gly Cys Pro Ile Cys Lys Gln  
1 5 10

<210> 35

<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:derived from p300

<400> 35

Arg Lys Thr Asn Gly Gly Cys Pro Ile Cys Lys Gln Leu Ile  
1 5 10

<210> 36

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:derived from Mdm-2

<400> 36

Lys Lys Arg Asn Lys Pro Cys Pro Val Cys Arg Gln Pro Ile  
1 5 10

RECORDED BY COMPUTER